



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C07K 14/00	A2	(11) International Publication Number: WO 99/29717 (43) International Publication Date: 17 June 1999 (17.06.99)
(21) International Application Number: PCT/CA98/01130 (22) International Filing Date: 11 December 1998 (11.12.98) (30) Priority Data: 60/069,233 11 December 1997 (11.12.97) US 60/069,750 16 December 1997 (16.12.97) US (71) Applicant (for all designated States except US): UNIVERSITY OF SASKATCHEWAN [CA/CA]; Veterinary Infectious Disease Organization, 120 Veterinary Road, Saskatoon, Saskatchewan S7N 5E3 (CA). (72) Inventors; and (75) Inventors/Applicants (for US only): WANG, Li [CA/CA]; 8-2501 7th Street East, Saskatoon, Saskatchewan S7H 1A4 (CA). BABIUK, Lorne, A. [CA/CA]; 245 E. Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). POTTER, Andrew, A. [CA/CA]; 521 Dalhousie Crescent, Saskatoon, Saskatchewan S7H 3C7 (CA). WILLSON, Philip [CA/CA]; 3 Oliver Crescent, Saskatoon, Saskatchewan S7H 3C7 (CA). (74) Agents: ERRATT, Judy, A. et al.; Gowling, Strathy & Henderson, Suite 2600, 160 Elgin Street, Ottawa, Ontario K1P 1C3 (CA).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>

(54) Title: POSTWEANING MULTISYSTEMIC WASTING SYNDROME VIRUS FROM PIGS

(57) Abstract

The cloning of a novel PCVII viral genome is described as is expression of proteins derived from the PCVII genome. These proteins can be used in vaccine compositions for the prevention and treatment of PCVII infections, as well as in diagnostic methods for determining the presence of PCVII infections in a vertebrate subject. Polynucleotides derived from the viral genome can be used as diagnostic primers and probes.

